






Speciality Panel - Channel Melt Panel SP-CM

Overview

The IceBlaster Channel Melt Panel (SP-CM) is specifically designed to prevent ice dams that occur at dormers and other areas where melt water draining onto a roof surface can re-freeze and create leak issues. Installation is simple. Base panel mounts over existing roofing material with supplied channel panel cleat. Base panel should be installed so that it collects runoff from an upper valley, downspout or other roof feature. Install base extrusion. Route two runs of industrial grade self regulating heat cable. Pre-finished aluminum cover panel is riveted to base panel for maximum heat transfer. Route any heat cable in gutter and downspout(s).



NOTE: Some roof assembly features omitted for clarity. IceBlaster products are fully compatible with most roof styles and systems. SP-CM can be installed on a roof without a gutter.



Performance:

2 runs of self-regulating industrial grade heat cable

Base Extrusion:

6063 T5 Aluminum

Cover Panel:

0.040" Kynar 500 pre-finished aluminum

Warranty:

50 yr on base panel
30 yr on cover panel finish
10 yr on supplied heat cable
See Warranty for complete details

Supplied Components:

Base extrusion
Panel cover
Splice covers
Mounting hardware
C/US Listed self-regulating heat cable

Options:

110-130v or 208-277v in 5, 8, & 10 watts/foot self regulating heat cable

Standard Colors: Medium Bronze, Matte Black, Dark Bronze, Hartford Green, Mansard Brown, Slate Gray, or Charcoal Gray

Additional Cost Options:

20 oz. solid copper

Special Order Colors: Complete line of UnaClad aluminum colors

Standard 10' lengths, can be cut to length